

No illustration

---

**Scientific Name:** *Eriogonum salicornioides* Gandg.

**Bibliographic Reference:** Gandoger, 1906. Bull. Soc. Bot. Belg. 42: 187.

**Common Name:** Annual salt buckwheat

**Family (Common Name):** Polygonaceae (Buckwheat Family)

**Synonyms:** *Eriogonum vimineum* Dougl. ex Benth. var. *salicornioides* (Gandg.) S. Stokes; *E. demissum* S. Stokes; *E. demissum* S. Stokes var. *romanum* S. Stokes; *E. vimineum* ssp. *baileyi* var. *salicornioides* S. Stokes (?).

**Idaho Native Plant Society Category:** State Review

**Natural Heritage Program Rank:** S3

**Distribution:** Owyhee County, Idaho; Malheur County, Oregon and w Humboldt County, Nevada.

**Habitat:** Dry, sparsely vegetated, white, ashy clay soils in shadscale-budsage and Wyoming sagebrush communities, 793-1355 m elevation.

**Phenology:** April through May (June to September).

**Look-alikes:** Differing from other annuals in Idaho by the erect, sessile upper involucres, white to rose flowers 1.2-1.8 mm long and smaller achenes (1.6-2 mm long).

No photos available

Species  
Distribution

